

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22164

Stream : Little Pigeon Creek

Applicant : Michael B Short
2214 North 5th Street
Evansville, IN 47710-2806

Description : A 195' x 206' area was filled in the east floodplain of Little Pigeon Creek for investors. The fill depth is approximately 8' to 10'. The earth fill material was obtained from the Evansville Water Department by excavating when laying new lines. Additional area is proposed to be filled; resulting in a triangular shaped area with approximate dimensions of 190' x 120' x 75' and with a maximum fill depth of 10'. The proposed fill will be placed along the streamward side of the west floodplain. Details of the project are contained in information and plans received at the Division of Water on December 20, 2002 and January 30, 2003.

Location : Along the east (right) bank, approximately 1,200' downstream of the Kentucky Avenue stream crossing and continuing downstream approximately 1,375'
DOWNSTREAM: at Evansville, Center Township, Vanderburgh County
Section 8, T 6S, R 10W, Evansville North Quadrangle
Quad Code: 3808715
UTM Coordinates: Downstream 4207225 North, 451765 East
UPSTREAM: Vanderburgh County

UTM Coordinates: Upstream 4207265 North, 451745 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22200

Stream : Davis Ditch

Applicant : Northern Indiana Public Service Company
Brian Kortum
2723 East 1500 North
Wheatfield, IN 46392-8800

Description : An approximate 550' x 35' area of the stream will be dredged to a maximum depth of 3' or at an elevation of 644', NGVD to maintain adequate water flow to the NIPSCO Schahfer Generating Station. The dredging will be performed by a mechanical dredge. The excavated material will be sidecast along the east overbank where it will be dewatered. Adequate detention time (will be/was) provided to allow suspended sediments to settle out of the decanted water before returning the water to the stream. Details of the project are contained in information and plans received at the Division of Water on January 21, 2003.

Location : Beginning at the confluence with the Kankakee River and continuing upstream (south) for approximately 550'
DOWNSTREAM: near Wheatfield, Kankakee Township, Jasper County
NW¼, SW¼, SW¼, Section 5, T 32N, R 5W, Wheatfield Quadrangle
Quad Code: 4108721
UTM Coordinates: Downstream 4566200 North, 497900 East
UPSTREAM:
UTM Coordinates: Upstream 4566000 North, 497900 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22209

Stream : Sand Creek

Applicant : Hamilton Southeastern Schools
J Bradley Cook, Attorney
942 Maple Avenue
Noblesville, IN 46060-2602

Description : Approximately 3600' of 15" diameter sanitary sewer line will be placed along the stream to extend an existing sanitary sewer system. The line will be placed by the open trench construction method. The proposed sanitary sewer will be placed beneath the stream at one point. The crossing will have at least 15' of cover beneath the streambed and the banks. Riprap will be placed along the trench bank within the stream from top of bank to top of bank. Details of the project are contained in information and plans received at the Division of Water on January 21, 2003.

Location : Beginning just upstream (north) of the 131st Street stream crossing and continuing upstream (northeast) approximately 3000'
DOWNSTREAM: near McCordsville, Fall Creek Township, Hamilton County
N½, Section 28, T 18N, R 5E, McCordsville Quadrangle
Quad Code: 3908588
UTM Coordinates: Downstream 4425745 North, 588055 East
UPSTREAM:
UTM Coordinates: Upstream 4426175 North, 588765 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22215

Stream : Little Calumet River

Applicant : Town of Griffith
James Reyome
111 North Broad Street
Griffith, IN 46319-2294

Description : Approximately 25' of an existing flood control levee will be repaired to its original condition, an existing culvert crossing will be replaced with a new culvert, and a stormwater outfall structure will be constructed. The reconstructed segment of the levee will maintain the original height of 602.20', NGVD, top width of 18', and 2:1 sideslopes. The existing 42" diameter x 25' corrugated metal pipe culvert carrying a gravel access road over the ditch will be replaced with a new 68" x 43" x 25' reinforced concrete pipe culvert set in two concrete pipe anchors. The new culvert will be parallel with stream flow and will have an upstream and downstream invert of 590.00', NGVD and 589.96', NGVD respectively. The inlet end of the culvert will be square. Minor channel shaping will occur both upstream and downstream of the new culvert to improve the flow transition at the crossing. The shaping will be confined to the construction right-of- way, temporary right-of-way and easement. The reshaped areas will be stabilized with a 24" thick layer of riprap over geotextile fabric. The roadway will be elevated approximately 1' above the existing road elevations, raising the crown of the roadway over the new culvert to 596', NGVD. A stormwater outfall structure will be constructed within the south overbank. A 36" reinforced concrete outfall pipe will be constructed to an elevation of 590.41', NGVD. The 3000' long pipe will carry stormwater from the Ridge Road area to the creek. The pipe will terminate with a headwall that will conform to the bank slope. A flapgate will be placed at the end of the pipe to prevent backflow into the 36" reinforced concrete pipe. Approximately 200 tons of riprap laid over geotextile fabric will be placed at the base of the headwall for energy dissipation. Details of the project are contained in information received electronically at the Division of Water on January 29, 2003.

Location : Approximately 1300 feet east of Cline Avenue, north of River Drive

at Griffith, Calumet Township, Lake County
S½, NW¼, Section 23, T 36N, R 6W, Highland Quadrangle
Quad Code: 4108754

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22218

Stream : East Fork White River

Applicant : Rockmakers LLC
Van Furgeson
2550 South State Road 39
Lebanon, IN 46052

Description : Approximately 352 acres along the overbank will be mined for sand and gravel. Construction activities include a 100' x 60' building, a 40' x 30' building, product silos and scales. Approximately 6 stockpiles will be located at the site at any one time. The stockpiles will be approximately 20' in height and approximately 50' in diameter. The existing tree line surrounding the area will be left undisturbed. A soft buffer of deep rooted legumes will be planted to protect the existing trees. Details of the project are contained in information and plans received at the Division of Water on January 30, 2003..

Location : Along the left (southeast) overbank, beginning at the confluence with Indian Creek and continuing upstream (northeast) approximately 10,000'
DOWNSTREAM: near Martinsville, Washington Township, Morgan County
Section 13, T 11N, R 1W, Martinsville Quadrangle
Quad Code: 3908644
UTM Coordinates: Downstream 4360210 North, 544720 East
UPSTREAM: Section 12, T 11N, R 1W

UTM Coordinates: Upstream 4361615 North, 546380 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22220

Stream : Unnamed Tributary
Whitewater River

Applicant : Fayette County Board of Commissioners
Jerry L Gobin
111 West 4th Street
Connersville, IN 47331

Description : The existing 5' x 10' x 92' concrete culvert carrying State Road 121 over an unnamed tributary to Whitewater River will be replaced with a new culvert to reduce upstream flood damages. The new crossing will consist of a 4' x 15' x 121' long concrete culvert. The new culvert will have an upstream and downstream invert of 796.52', NGVD and 794.36', NGVD respectively. The culvert will be skewed 37 degrees to align with streamflow. Minor channel shaping will occur both downstream and upstream of the new culvert to improve the flow transition at the crossing. The shaping will be confined to the construction right-of-way. The reshaped areas will be stabilized with an 18" thick layer of revetment riprap placed over geotextile fabric. The roadway will be elevated approximately 0.91' above the existing road elevations. The crown of the roadway over the new culvert will be at 800.35', NGVD. Steel W-beam guardrails will be placed along each side of the roadway over the channel. Details of the project are contained in information received electronically at the Division of Water on February 3, 2003.

Location : The proposed new alignment of Veteran's Memorial Drive will begin at Gray Road (approx. 0.8 km (0.5 miles) south of S.R. 44), and end at S.R. 121 (approx. 1.6 km (1 mile) south of S.R. 44)

Structure No. 17 carries S.R. 121 over an unnamed tributary to Whitewater River, and is located approximately 40 meters (131 feet) north of the proposed intersection of Veteran's Memorial Drive and S.R. 121. Both banks of the unnamed tributary will be impacted by this project.
near Connersville, Connersville Township, Fayette County
Section 36, T 14N, R 12E, Connersville Quadrangle
Quad Code: 3908562

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22222

Stream : Schlensker Ditch

Applicant : JBJ, L.L.C.
Bruce Biggerstaff Sr
3614 Citadel Circle
Newburgh, IN 47630-7903

Description : A sanitary sewer line will be placed along the west overbank of Schlensker Ditch to expand public sewer service in the northeastern portion of Vanderburgh County. The open cut line will have a minimum of 4' of cover over the pipe. The pipe trench will be restored to the pre-disturbance ground contours following construction. Details of the project are contained in information received electronically at the Division of Water on February 4, 2003.

Location : The proposed construction activity would occur along the west overbank of Schlensker Ditch, east of the retention basin on Lot 114 for Stonecrest Subdivision, Section 5 as recorded in plat book R, page 13 in Vanderburgh County. The sewer is to be laid in the platted Public Utility Easement in said Lot 114 and continuing through Lots 115 and 116. The sewer continues to the Northwest across Lots 1 and 2 of Eissler Subdivision and onto unplatted ground. The sewer ends at Petersburg Road, approximately 500 feet South of the bridge over Schlensker Ditch.
near Evansville, Scott Township, Vanderburgh County
Section 11, T 5S, R 10W, Evansville North Quadrangle
Quad Code: 3808715

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19335

Lake : Lake James

Applicant : Marcia R Conley
Jeffrey G Raff, Attorney
201 East Washington Center Road
Fort Wayne, IN 46825-4404

Description : A concrete seawall will be constructed across 80' of the applicant's frontage along a manmade channel on Lake James. The seawall will be located approximately 100' lakeward of the existing seawall. The area behind the new seawall will be filled with a clean non-toxic material. Also, a 150' concrete seawall will be constructed along the east side of the smaller channel. The seawall will be constructed approximately lakeward 15' of the existing concrete seawall, the area behind the seawall, which includes the 20' x 20' boatwell will be filled with a non-toxic material. A concrete seawall will be constructed across 145' north end, connecting the two channels. The existing stone breaker will be removed. Details of the project are contained in information and plans received at the Division of Water on September 26, 2002, November 2, 2002, December 5, 2002 and January 23, 2003.

Location : Sowles Bay Marina
near Angola, Pleasant Township, Steuben County
W½, SE¼, SE¼, Section 3, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4616850 North, 665350 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19403

Lake : Crooked Lake

Applicant : Stanley and Delilah Schaeffer
17015 Platter Parkway
New Haven, IN 46774-9721

Description : A concrete seawall will be constructed across the applicant's 35' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The existing glacial stone seawall will be completely removed. Details of the project are contained in information and plans received at the Division of Water on November 25, 2002, December 6, 2002, and January 28, 2003.

Location : 180 Lane 160, Lot 180 of Metsch Addition
near Angola, Pleasant Township, Steuben County
SW $\frac{1}{4}$, NE $\frac{1}{4}$, NE $\frac{1}{4}$, Section 17, T 37N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4614645 North, 662324 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11